

[www.icemaker.co.kr](http://www.icemaker.co.kr)



YOGURT & SOFT ICE CREAM MACHINE

WORLD  
BEST **JETiCE**





### Compact Design

Can be installed in small places.



### Low noise & vibration

Operating sound is very low compared to the same grades.



#### Single Flavor

#### Two Flavors & One Twist

	SSI-141TG	SSI-143S
Dimension	397x680x710(mm) 15.7x26.8x30.0(inch)	510x698x1,508(mm) 20.1x27.5x59.4(inch)
Weight	82Kg(181lbs)	170Kg(375lbs)
Electric	115V/60Hz/1Ph 208~230V/60Hz/1Ph 220~240V/50Hz/1Ph	- 208~230V/60Hz/1Ph 220~240V/50Hz/1Ph



SSI-141TG

SSI-143S



### Luxurious & Simple Design

Touch screen button and simplified display match with any interior design.



### Artificial Intelligence Control System

AI Control System makes high quality soft serve ice cream.



- Touch Screen Button Display
- Voice Guide Function
- Smart Control System

#### Single Flavor

#### Two Flavors & One Twist

	SSI-151TG	SSI-230S
Dimension	397x814x771(mm) 15.7x32.1x30.4(inch)	580x900x1,520(mm) 22.9x35.5x59.9(inch)
Weight	90Kg(198.4lbs)	250Kg(551.2lbs)
Electric	115V/60Hz/1Ph 208~230V/60Hz/1Ph 220~240V/50Hz/1Ph	- 208~230V/60Hz/1Ph 220~240V/50Hz/1Ph



SSI-151TG

SSI-230S



SSI-300T(P)\*

SSI-303S(P)\*



**Powerful Production Capacity**  
Oversized compressor costs down production time.



**Mass Storage Capacity**  
The Large Mix Hopper & Cylinder can serve Soft Ice Cream & Yogurt continuously.



(P)\*Model has Air Pump System  
Air Pump makes Soft Serve much smoother and softer.

Single Flavor

Two Flavors & One Twist

	SSI-300T(P)*	SSI-303S(P)*
Dimension	460x864x907(mm) 18.2x34.1x35.7(inch)	669x961x1,540(mm) 26.4x37.9x60.7(inch)
Weight	130Kg(287lbs)	330Kg(728lbs)
Electric	208~230V/60Hz/1Ph 220~240V/50Hz/1Ph -	208~230V/60Hz/1Ph 220~240V/50Hz/1Ph 380~440V/50Hz/3Ph



ALL IN ONE



**Multipurpose ALL IN ONE**

Slush & Soft Ice Cream machines are combined.  
You can enjoy Slush & Yogurt together.



**ALL IN ONE**

Dimension	825x724x1,500(mm)	32.5x28.5x59.1(inch)
Weight	180Kg(397lbs)	
Electric	208~230V/60Hz/1Ph	220~240V/50Hz/1Ph



SSM-280

&



SSI-151TG

# Model Information



## ALL IN ONE

Soft Ice Cream Part : Same as SSI-151TG  
Slush Part

Mix Tank Capacity	9liter (2.38gallon)
Power Consumption	1,020W
Gear Motor	67Wx2EA
First Dispensing Time	30~50min
Dispensing Capacity	50cups/h
Controlled by	Torque & TC
Compressor	0.85HP(R404A)



## SSI-141TG

Mix Hopper Capacity	10liter (2.64gallon)
Cylinder Capacity	1.4liter (0.37gallon)
Power Consumption	1,150W
Dasher Motor	0.37KW
Maximum Production	12Kg/h(26.5lbs/h)
First Dispensing Time	6~8min
Consecutive Dispensing	5~6cups(100cc/3.5oz)
Compressor-Cylinder	0.85HP(R404A)
Compressor-Mix Hopper	None



## SSI-143S

Mix Hopper Capacity	5.5liter (1.45gallon)x2EA
Cylinder Capacity	1.4liter (0.37gallon)x2EA
Power Consumption	2,700W
Dasher Motor	0.37KWx2EA
Maximum Production	24Kg/h(52.9lbs/h)
First Dispensing Time	6~8min
Consecutive Dispensing	10~15cups(100cc/3.5oz)
Compressor-Cylinder	0.85HPx2EA(R404A)
Compressor-Mix Hopper	0.35HP(R134a)



## SSI-151TG

Mix Hopper Capacity	10liter (2.64gallon)
Cylinder Capacity	1.4liter (0.37gallon)
Power Consumption	1,400W
Dasher Motor	0.37KW
Maximum Production	16Kg/h(35.3lbs/h)
First Dispensing Time	6~9min
Consecutive Dispensing	5~6cups(100cc/3.5oz)
Compressor-Cylinder	0.85HP(R404A)
Compressor-Mix Hopper	0.35HP(R134a)



## SSI-203S

Mix Hopper Capacity	10liter (2.64gallon)x2EA
Cylinder Capacity	2.7liter (0.72gallon)x2EA
Power Consumption	4,500W
Dasher Motor	0.75KWx2EA
Maximum Production	42Kg/h(92.6lbs/h)
First Dispensing Time	7~11min
Consecutive Dispensing	16~40cups(100cc/3.5oz)
Compressor-Cylinder	1.3HPx2EA(R404A)
Compressor-Mix Hopper	0.35HP(R134a)



## SSI-300T(P)\*

Mix Hopper Capacity	17.5liter (4.62gallon)
Cylinder Capacity	3.2liter (0.85gallon)
Power Consumption	1,650W
Dasher Motor	0.75KW
Maximum Production	30Kg/h(70.5lbs/h)
First Dispensing Time	8~10min
Consecutive Dispensing	20~24cups(100cc/3.5oz)
Compressor-Cylinder	1.2HP(R404A)
Compressor-Mix Hopper	0.35HP(R134a)



## SSI-303S(P)\*

Mix Hopper Capacity	17.5liter (4.62gallon)x2EA
Cylinder Capacity	3.2liter (0.85gallon)x2EA
Power Consumption	7,500W
Dasher Motor	0.75KWx2EA
Maximum Production	68Kg/h(149.9lbs/h)
First Dispensing Time	8~10min
Consecutive Dispensing	50~90cups(100cc/3.5oz)
Compressor-Cylinder	2.0HPx2EA(R404A)
Compressor-Mix Hopper	0.35HP(R134a)

COMMON FACTS : Air-Cooled Condenser / Durable Stainless Steel Exterior / CE & ETL Sanitation Approved / \*(P) models have Air Pump System.

\*Product's exterior and specification can be modified without prior notice.



Manufactured by:



Australian Importer:  
Jetice Australia Pty Ltd  
Unit 1, 32 Salisbury Road Asquith NSW 2077  
Phone 1300 538 423  
www.jetice.com.au sales@jetice.com.au

Distributed by: